

TECHNICAL DATA SHEET



Product Introduction:

- This helmet combines advanced safety and superior comfort, making it ideal for various demanding environments.
- The shell ensures outstanding impact resistance and durability, while also offering superior heat resistance to safeguard the wearer in high-temperature conditions.
- Designed to meet EN 397:2012 standard, it ensures maximum protection for the wearer in various high-risk environments wearer in various high-risk environments



Features:

- ABS provides excellent impact resistance, making these helmets effective in protecting against shocks and collisions.
- 3-point unique crown ventilation system on both sides provides air circulation & comfort.
- Textile cradle materials and secure fit ensure long-lasting comfort and stability, making it ideal for extended use.
- 8-point plastic suspension with slip fit or ratchet fit adjustment.
- Aesthetic look with smooth finish solid colored resin for a permanent, no-chip, no-peel finish.

Benefits:

- **Cost-Effective:** Choose proper helmets for proper highly impact resistant, making it suit for in harsh environment.
- **Regulatory Compliance:** Assists in meeting safety and environmental regulations by providing protection against falling objects.
- **Safety Improvement:** : The textile suspension easy and precise adjustment, ensuring a secure easy and precise adjustment, ensuring a secure and comfortable fit. Breathable textile materials reduce pressure points and improve comfort, making it ideal for extended use.
- Recyclable: Prevents hazardous substances from spilling onto the ground or into waterways.
- **Durability:** ABS is resistant to many chemicals, including acids, alkalis, and oils, making it suitable for use in industrial environments where exposure to hazardous substances is possible.



J.THADHANI & CO.

New #12/ Old #28, Stringers Street, Chennai - 600001, Tamilnadu, India.



044 - 4262 5223



info@thadhanisafety.com www.thadhanisafety.com



Product Specifications:

Model: FUSION PRO

Construction: ABS (Acrylonitrile Butadiene Styrene)

Ventilation: 3-point Ventilation

Variants: Textile ratchet

Weight: 367 grams

Color: White, Yellow, Blue, Red, Green, Orange,

Sky Blue, grey

Peak size: 20 mm.

Accessories slot size: 30 mm.

Internal vertical clearance: 40 mm.

Wearing height: 109 mm.

Circumference of Headband: 520 mm - 660 mm

Cradle width: 20.2 mm.

Chin strap width: 19.85 mm Packaging: 40 pcs. per carton

Standard: EN 397:2012

TEXTILE RATCHET FIT:





Applications:

- The ABS shell provides excellent protection against falling objects which ensures the wearer's safety in case of an accident.
- ABS is resistant to many chemicals, including acids, alkalis, and oils, making it suitable for use in industrial environments where exposure to hazardous substances is possible.
- The helmet can withstand different weather conditions without degrading, ensuring consistent performance in diverse outdoor environments.

Industry:

These helmets are utilized for their protective and practical features in various industries such as



Cement Industry



Heavy Manufacturing



Automobile



Construction



Power



Manufacturing



















Pharmaceutical


















044 - 4262 5223



New #12/ Old #28, Stringers Street, Chennai - 600001, Tamilnadu, India.







Safety Information:

- When worn and maintained properly, safety helmets do a great job of protecting your head from a single impact.
- Excessive discoloration of the shell color of the surface may indicate a loss of strength. Such helmets should be discarded
- All components, shells, harnesses, headbands, and accessories should be visually inspected at least weekly.
- Helmets with sound shells but with damaged, excessively dirty, or defective harness components should be withdrawn from service and the complete harness and cradle replaced.

Usage Instructions:

- Place the helmet squarely on your head, ensuring it covers the top of your forehead and sits level.
- Turn the ratchet knob present at the back side until the helmet fits snugly and comfortably.
- Adjust the chin strap length to ensure a tight fit without causing discomfort.
- Turn the ratchet knob to the left and loosen the chin strap to put the helmet off.

Storage:

- Can be stored and transported in their original cartons at ambient temperature (0°C to + 30°C)
- Shell may be stored in the dark for up to 3 years
- Do not store in direct / high heat or sunlight as this may distort the suspension



