### **RESPIRATORS HFM** | ACE SERIES - IS



## V-7800

**Dual filters For HFM & FFM** 

VENUS dual gas filters used in connection with the VENUS V-800 half mask & VENUS V-600 Full Face Mask





Threaded cartridge

• Easy to fit and replace

### Class 2 Gas Filters & Combined Filters with standard connection















V-7800 A1 E1 Filters

V-7800 ABEK1 Hg P3 Filters

V-7800 P3 Filters



V-7800 A2 P3 Filters

The state of the s

V-7800 ABEK1 P2 Filters



V-7800 P3 OV Filters

### **Technical Specifications:**

- 1. Materials: High-quality thermoplastic elastomer (TPE).
- 2. **Standards**: CE-certified filters for tested performance.
- 3. **Test Gases & Limits**: Tested for gases like cyclohexane, ammonia, chlorine; MUL: 1000 ppm, 30x OEL, or 10x OEL.
- 4. **Accessories**: Exhalation valve, head harness, pre-filter retainers available.
- 5. Compatibility: Works with V-800 Half Face Mask and V-668 & V-667 Full Face Mask.

### Features of Venus V-7800 filters:

- 1. **Dual Filter System**: Threaded cartridges for easy replacement.
- 2. Multiple Filter Types: Filters for organic vapors, acid gases, and particulates.
- 3. **Certified Standards**: CE-certified filters with tested performance for specific gases and particulates.
- 4. Size Options: Masks available in Small, Medium, and Large.
- 5. Lightweight and Durable Material: Thermoplastic elastomer (TPE) construction.
- 6. Accessories and Spare Parts: Replaceable exhalation valves, head harnesses, and pre-filter retainers.

### **RESPIRATORS HFM** | ACE SERIES - IS



## **V-7800**

**Dual filters For HFM & FFM** 

VENUS dual gas filters used in connection with the VENUS V-800 half mask & VENUS V-600 Full Face Mask





Threaded cartridge

Easy to fit and replace

FILTER	COLOUR CODE	HAZARD TYPE	TEST GASES	MAXIMUM USER LEVELS
VENUS V-7800 A1 C€ A1 Filter + Pre-filters P2 R Item # 17087		Organic Vapour(OV) + Particulate filter	Cyclohexane (C <sub>6</sub> H <sub>12</sub> )	1000 ppm or 10 X OEL whichever is lower
<b>VENUS V-7800 A1 E1 C                                </b>		Organic Vapour (OV) Acid Gases (AG)	Cyclohexane (C <sub>6</sub> H <sub>12</sub> ) Sulphur Dioxide (SO <sub>2</sub> )	1000 ppm or 30 X OEL whichever is lower
VENUS V-7800 B1 C€ RF - Gas Filters tem # 17091 GREY	30	Inorganic Gases (IO)	Chlorine (Cl.), Hydrogen Sulphide (H.S), Hydorgen Cyanide (HCN)	1000 ppm or 30 X OEL whichever is lower
VENUS V-7800 E1 C€ RF - Gas Filters tem # 17088 YELLOW		Acid Gases (AG)	Sulphur Dioxide (SO <sub>2</sub> )	1000 ppm or 30 X OEL whichever is lower
VENUS V-7800 K1 C€ RF - Gas Filters tem # 17089 GREEN		Ammonia (AM) & derivatives	Ammonia (NH <sub>3</sub> )	1000 ppm or 30 X OEL whichever is lower
<b>VENUS V-7800 C€</b> ABEK1 Filters + Pre-filters P2 R tem # 17090 MULTICOLOUR		OV/IO/AG/AM + Particulate filter	Cyclohexane (C <sub>8</sub> H <sub>13</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Chlorine (Cl <sub>2</sub> ), Hydrogen Cyanide (HCN), Sulphur Dioxide (SO <sub>2</sub> ), Ammonia (NH <sub>3</sub> )	1000 ppm or 10 X OEL whichever is lower
YENUS V-7800 P3 R C€ IF - HEPA Filters tem # 17026 WHITE		Particle Filter	Non highly volatile liquid / solid particles	30 X OEL
YENUS V-7800 P3 R C€ RF - PANCAKE Filters rem # 17129 WHITE		Particle Filter	Non highly volatile liquid / solid particles	30 X OEL
ENUS V-7800 P3 R OV CE F - Nuisance odour & articulate Filters em # 17178		Particle Filter with nuisance VOC / odour	Non highly volatile liquid / solid particles	30 X OEL
/ENUS V-7800 P2R C E F - Pre-Filters rem # 17065 white //ENUS V-7800 letainer for pad filters		Particle Filter	Solid particles	_
/ENUS V-7800 A1 P3 R C € F - Gas Filters + Particle Filters em # 17062		Combined Filter OV+ Particle Filter P3	Cyclohexane (C <sub>e</sub> H <sub>1,2</sub> ) with Hepa particle filter	1000 ppm or 30 X OEL whichever is lower
VENUS V-7800 ABEK1 P3 R C € FF - Gas Filters + Particle Filters em # 17059  MULTICOLOUR		Combined Multigas Filter (OV/IO/AC/AM) + Particle Filter P3	Cyclohexane (C <sub>6</sub> H <sub>12</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Chlorine (Cl <sub>2</sub> ), Hydrogen Cyanide (HCN), Sulphur Dioxide (SO <sub>2</sub> ), Ammonia (NH <sub>3</sub> )	1000 ppm or 30 X OEL whichever is lower
ENUS V-7800 ABEK1 Hg P3 R F - Gas Filters+Particle Filters C € em # 17229		OV/IO/AG/AM/Hg + Particle Filter P3	Cyclohexane (C <sub>v</sub> H <sub>12</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Chlorine (Cl <sub>2</sub> ), Hydrogen Cyanide (HCN), Sulphur Dioxide (So <sub>2</sub> ), Ammonnia (NH <sub>3</sub> ), Mercury (Hg)	1000 ppm or 30 X OEL whichever is lower
F - Gas Filters+Particle Filters em # 17230 ■ BOOME		Combined Filter OV+ Particle Filter P3	Cyclohexane (C <sub>6</sub> H <sub>12</sub> ) with Hepa particle filter	5000 ppm or 30 X OEL whichever is lower
ENUS V-800 +V-7800 BEK1+P2R Combo C € FM+RF Gas & Particle Filters em # 15054	+=0	Combined Multigas Filter OV/IO/AG/AM + P2 Particle Filter	Cyclohexane (C <sub>6</sub> H <sub>1,2</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Chlorine (Cl <sub>2</sub> ), Hydrogen Cyanide (HCN), Sulphur Dioxide (SO <sub>2</sub> ), Ammonia (NH <sub>3</sub> )	1000 ppm or 10 X OEL whichever is lower
TENUS V-800+V-7800 A1 Filter + P2 R C E IFM+RF Gas & Particle Filters letail blister pack em # 15047 BROWN	TOUR TOUR	Combined Filter OV+ P2 Particle Filter	Cyclohexane (C <sub>6</sub> H <sub>1,2</sub> )	1000 ppm or 10 X OEL whichever is lower
VENUS V-800+V-7800 ABEK1 Filter + P2 R  GENTAL FILTER CENTRY  AMERICAN CONTRACTOR CENT	VIANB COMB	Combined Multigas Filter OV/IO/AG/AM + P2 Particle Filter	Cyclohexane (C <sub>6</sub> H <sub>12</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Chlorine (Cl <sub>2</sub> ), Hydrogen Cyanide (HCN), Sulphur Dioxide (SO <sub>2</sub> ), Ammonia (NH <sub>3</sub> )	1000 ppm or 10 X OEL whichever is lower

## V-7800

**Dual filters For HFM & FFM** 

VENUS dual gas filters used in connection with the VENUS V-800 half mask & VENUS V-600 Full Face Mask





### Benefits of Venus V-7800 filters:

- 1. **Dual Filter System**: Simplifies filter changes, ensuring convenience and uninterrupted protection.
- 2. Multiple Filter Types: Provides versatile protection across diverse hazardous environments.
- 3. Certified Standards: Guarantees reliable safety and compliance with regulatory requirements.
- 4. Size Options: Ensures a secure and comfortable fit for all users.
- 5. **Lightweight and Durable Material**: Increases comfort during prolonged use without compromising durability.
- 6. Accessories and Spare Parts: Extends product life and reduces replacement costs.

### User Instructions for Venus V-7800 filters:

- 1. Selection: Choose the appropriate filter based on hazard type and color coding.
- 2. **Compatibility**: Ensure the filter is attached to a VENUS Full Face Mask or PAPR with a standard 40mm thread connection.
- 3. **Inspection**: Check the filter for damages or expiration before use.
- 4. Usage: Install securely and ensure a proper seal to avoid leaks.
- 5. **Storage**: Store filters in a clean, dry place away from contaminants.
- 6. **Replacement**: Replace filters when breathing resistance increases or after recommended usage limits.

# Venus Gas Filters and Particle Filters Pair-Wise Used in Connection with Venus V-800 Half Face Mask and V-668 & V-667 Full Face Masks

Filter	Hazard type	Examples	Maximum Use Level	Colour Code
V-7800 A2 P3	Organic Vapour + Particle filter	Solvents such as Cyclohexane $(C_6H_{12})$	5000 ppm or 30 X OEL whichever is lower	
V-7800 ABEK1 P2	OV/IO/AG/AM + Particle filter	Cyclohexane (C <sub>6</sub> H <sub>12</sub> ), Chlorine (Cl <sub>2</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Hydrogen Cyanide (HCN), Sulphur Dioxide (SO <sub>2</sub> ), Ammonia (NH <sub>3</sub> )	1000 ppm or 10 X OEL whichever is lower	
V-7800 ABEK1 Hg P3	OV/IO/AG/AM + Particle filter	Cyclohexane ( $C_6H_{12}$ ), Chlorine ( $Cl_2$ ), Hydrogen Sulphide ( $H_2S$ ), Hydrogen Cyanide (HCN), Sulphur Dioxide ( $SO_2$ ), Ammonia ( $NH_3$ ), Mercury ( $Hg$ )	1000 ppm or 30 X OEL whichever is lower	
V-7800 A1 E1	OV/AG	Carbon Tetrachloride (CCl <sub>4</sub> ), Sulphur Dioxide (SO <sub>2</sub> )	1000 ppm or 30 X OEL whichever is lower	
V-7800 P3	Particle filter	Non highly volatile liquid/Solid Particles	30 X OEL	
V-7800 B1	AM	Ammonia (NH₃)	1000 ppm or 30 X OEL whichever is lower	
V-7800 A2 P3	OV + Particle filter	Cyclohexane (C <sub>6</sub> H <sub>12</sub> ) with HEPA	5000 ppm or 30 X OEL whichever is lower	



#### J.THADHANI & CO.

New #12/ Old #28, Stringers Street, Chennai - 600001, Tamilnadu, India.



044 - 4262 5223



info@thadhanisafety.com www.thadhanisafety.com