

TECHNICAL DATA SHEET

RESOLVE POLYPROPYLENE FIRE EXTINGUISHER CABINETS


CP170
SUITS 2.5 - 4.5KG
ABE
EXTINGUISHERS



CP130
SUITS 4.5 - 9 KG
ABE
EXTINGUISHERS



CP190
SUITS LGE
CO2 /9KG A/W
EXTINGUISHERS



Code	A x B x C External (mm)	A x B x C Internal (mm)	Weight (Kg)
CP170	335x620x240	264x571x204	2.4
CP130	335x715x240	264x652x204	2.7
CP190	335x865x240	264x816x204	3.2



THADHANI[®]
The Experts in Safety... Since 1947

J.THADHANI & CO.

New #12/ Old #28, Stringers Street,
Chennai - 600001, Tamilnadu, India.



044 - 4262 5223



info@thadhanisafety.com



www.thadhanisafety.com

TECHNICAL DATA SHEET

RESOLVE POLYPROPYLENE FIRE EXTINGUISHER CABINETS



PRODUCT DESCRIPTION:

Offering superior protection over traditional metal cabinets, the RESOLVE range of cabinets offer added protection from dust water and UV rays. Utilizing injection moulded Polypropylene the RESOLVE cabinet range is lightweight and durable.

The unique design also allows for cabinets to be stacked inside each other with covers removed making them the “smart” logistical choice.

PRODUCT FEATURES:

Assembled using injection moulded polypropylene, nylon and polycarbonate components ensures the RESOLVE range of cabinets have high resistance to flammability, water & dust ingress, fuel & lubricating oils, UV rays and high and low temperature extremes.



THADHANI®
The Experts in Safety... Since 1947

J.THADHANI & CO.

New #12/ Old #28, Stringers Street,
Chennai - 600001, Tamilnadu, India.



044 - 4262 5223



info@thadhanisafety.com



www.thadhanisafety.com



THADHANI[®]
The Experts in Safety... Since 1947

J.THADHANI & CO.

New #12/ Old #28, Stringers Street,
Chennai - 600001, Tamilnadu, India.



044 - 4262 5223



info@thadhanisafety.com



www.thadhanisafety.com



External dimensions (mm): 865x335x240

Internal Dimensions (mm): 795x244x204

Weight (kg): 3.2

Ring Diameter (mm): 170/190 e 150/170

Quantity per pallet (n°): 40

Pallets dimensions (cm): 100x120x265

Pallet Weight (kg): 170

TECHNICAL FEATURES



Material: polypropylene, nylon, polycarbonate

Production Process: Injection Molding

Label with company logo

COMPONENTS

- Label in PVC
- Inspection window in polycarbonate
- Nylon clamping ring with PVC spring



TEST AND CERTIFICATIONS

- TÜV RHEINLAND (7/2012) (IP certificated)

PRODUCT FEATURES

- 1 Double ergonomic handles integrated in the lid, with click-system anti-vibration for security in the everyday use
- 2 The Inspection window allows the view of the fire extinguisher. The "OR" seal guarantees a better water-resistance
- 3 Lockable against burglary or mishandling with a common padlock or with seal
- 4 Labyrinth system against water ingress. Even without seal is it guaranteed against dust and water ingress
- 5 Extinguisher holding kit composed of: PVC clamping spring with 4 holes, and Nylon clamping ring available in two sizes
- 6 Bayonet cap for clamping ring, with reinforced fixing points easy to assemble without any tools
- 7 PVC label (optional) 8x8 cm with extinguisher pictogram and/or company logo according to the law of the country of destination

