

uvex

SAFETY
EYEWEAR

Product Datasheet model 9161 144



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics

- o Welding overspec for wearers of prescription glasses
- o perfect colour recognition
- o new filter technology combines UV and IR radiation protection
- o minimum damage from welding sparks
- o fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- o unrestricted peripheral vision
- o pressure-free fit with soft uvex duoflex arms

Technical details	
Frame	
Material	Front piece
Colour	PC
	grey
	Side piece
Material	PC
Features	4 positions length adjustability
Colour	grey
	Temple
Material	PBT+PC/TPU
Features	duo-flex temple end
Colour	black/green
Lens	
Material	PC
Thickness	2,4 mm
Coating	uvex infradur
Colour	grey
Protection	UV400 + IR
	Marking
Filter	4 (EN 169)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperatures	T
Conformity symbol	CE
Manufacturer's ID code	W
Applicable EN norm	166
Impact resistance	F (45 m/s)

Miscellaneous	
Weight	47 g
Packing	75 spectacles per carton
Standards	DIN EN 166 + DIN EN 169
PPE Category	Category II



THADHANI[®]
The Experts in Safety... **Since 1947**

J.THADHANI & CO.

New #12/ Old #28, Stringers Street,
Chennai - 600001, Tamilnadu, India.



044 - 4262 5223



info@thadhanisafety.com



www.thadhanisafety.com