

SILVER 50

Description: Medium weight silver lined natural rubber gloves

- Features & Benefits:

 - * Anatomically shaped for comfort
 - * Anti-slip pattern for good grip in wet and dry conditions
 - * Bacteriostatic and fungistatic additives
 - * Compliant with (EC) No. 1935/2004, EU 10/2011 & BFR XXI (Black,Pink,Yellow)
 - * Flock free "silver" inner lining for easy-on-easy-off
 - * Ingredients comply with FDA regulations for food contact (Blue only)
 - * Low in soluble proteins
 - * Natural rubber
 - * Pinked or straight cuff

Applications: Agriculture, Chemical Industry, Food Industry, Facility maintenance

- Elastomer:

Natural rubber

Thickness:

0.50 +/- 0.05 mm

Lining:

Silverlined chlorinated

Former:

Honeycomb CIH

Exterior:

Finished smooth

Cuff Types:

Pinked or Straight

Treatments:

Chlorinated

Colours:

Blue B6, Green G13, Pink P3, Yellow Y3, Yellow Y4

AQL - Critical:

1.5

Major:

4




CE Certification: Conforms to PPE Regulation EU 2016/425 to (Complex Design) Personal Protective Equipment after assessment against standards EN ISO 21420:2020, EN ISO 374-1:2016+A1:2018, EN ISO 374-5:2016 and EN 388:2016+A1:2018

Conforms to:

Physical Dimensions:	Size	Palm	Wrist	Cuff	Length
	6-6.5	198	183	248	300
	7-7.5	208	190	251	300
	8-8.5	215	202	268	300
	9-9.5	235	226	280	300
	XL	250	237	293	310
		Circumference in mm, +/- 5 mm		Tol. +/- 10 mm	

Shelf Life 3 Years

EN 374-4

Protection against Chemical hazards		Performance	Degradation %
EN ISO 374-1/TYPE A			
 <div>AKLMNPST</div>	* Methanol (A)	Level 2	53.6
	* Sodium hydroxide 40% (K)	Level 6	40.7
	* Sulphuric acid 96% (L)	Level 3	62
	* Nitric acid 65% (M)	Level 5	57
	* Acetic acid 99% (N)	Level 2	46.4
	* Ammonium hydroxide 25% (O)	Level 1	20.9
	* Hydrogen peroxide 30% (P)	Level 6	40.5
	* Formaldehyde 37% (T)	Level 6	42
	* Hydrofluoric acid 40% (S)	Level 6	X

Note: Printed copies are valid only on the date printed

Printed Date: 29-Nov-2023

Revision:3

Published Date: 29-Nov-2023

SILVER 50

Protection against Mechanical hazards

Performance

EN 388



- * Abrasion resistance
- * Blade cut resistance
- * Tear resistance
- * Puncture resistance
- * TDM cut resistance

Level 1
Level 0
Level 1
Level 1
X

Protection against Micro-organisms risk

Performance

EN ISO 374-5



- * Protection against bacteria and fungi
- * Protection against viruses

Pass
n/a

